# WASTE DISCHARGE REQUIREMENTS ORDER NO.R5-2007-XXXX FOR

# CITY OF ATWATER WASTEWATER TREATMENT FACILITY MERCED COUNTY

# ATTACHMENT E STANDARD MONITORING WELL PROVISIONS

Prior to installation of groundwater monitoring wells, the Discharger shall submit a workplan containing at least the information specified in this document. Wells may be installed after the Executive Officer's approval of the work plan. Upon installation of the monitoring wells, the Discharger shall submit a report of results, as described below. A registered geologist, certified engineering geologist, or civil engineer registered or certified by the State of California must sign all workplans and reports.

# **Monitoring Well Installation Workplan**

#### A. General Information:

Monitoring well locations and rationale

Survey details

Equipment decontamination procedures

Health and safety plan

Topographic map showing any existing monitoring wells, proposed wells, waste handling facilities, utilities, and other major physical and man-made features.

B. Drilling Details: describe drilling and logging methods

### C. Monitoring Well Design:

Casing diameter Type of well cap

Borehole diameter Size of perforations and rationale

Depth of surface seal Grain size of sand pack and rationale

Well construction materials Thickness and position of bentonite seal and sand pack
Diagram of well construction Depth of well, length and position of perforated interval

#### D. Well Development:

Method of development to be used

Method of determining when development is complete

Method of development water disposal

E. Surveying Details: discuss how each well will be surveyed to a common reference point

#### F. Soil Sampling (if applicable):

Cuttings disposal method Number of soil samples and rationale
Analyses to be run and methods Location of soil samples and rationale

Sample collection and preservation method QA/QC procedures

Intervals at which soil samples are to be collected

# WDRs ORDER NO. R5-2007-XXXX ATTACHMENT E

Standard Monitoring Well Provisions for

Waste Discharge Requirements

### G. Well Sampling:

Minimum time after development before sampling (48 hours)

Well purging method and amount of purge water

Sample collection and preservation method

QA/QC procedures

#### H. Water Level Measurement:

The reference point and ground surface elevations at each monitoring well shall be determined within 0.01 foot. Method and time of water level measurement shall be specified.

### I. Proposed time schedule for work.

# **Monitoring Well Installation Report of Results**

# A. Well Construction:

Number and depth of wells drilled

Date(s) wells drilled

Description of drilling and construction

Approximate locations relative to WWTF and discharge area(s)

A well construction diagram for each well containing the following details:

Monitoring well number Depth to top of bentonite seal Location Thickness of bentonite seal Thickness of concrete grout

Total depth drilled<sup>1</sup>

Depth of open hole<sup>1, 2</sup>

Footage of hole collapsed

Length of slotted casing installed

Boring diameter

Casing diameter

Casing material

Size of perforations

Depth of bottom of casing<sup>1</sup> Well elevation at top of casing
Depth to top of sand pack<sup>1</sup> Date of water level measurement
Number of bags of sand Depth to which water was first found<sup>1</sup>

Thickness of sand pack Depth to which water was found after perforating<sup>1</sup>

### B. Well Development:

Date(s) of development of each well

Method of development

Volume of water purged from well

How well development completion was determined

Method of effluent disposal

Field notes from well development should be included in report

From ground surface

Same as total depth if no caving appears

# WDRs ORDER NO. R5-2007-XXXX ATTACHMENT E

Standard Monitoring Well Provisions for

Waste Discharge Requirements

# C. Well Surveying: provide for each well

Reference elevation (feet above mean sea level to within 0.01 foot)

Ground surface elevation (feet above mean sea level to within 0.01 foot)

Horizontal geodetic location, where the point of beginning shall be described by the California State

Plane Coordinate System, 1983 datum

Surveyor's notes

# D. Water Sampling:

Date(s) of sampling

How well was purged

How many well volumes purged

Levels of temperature, EC, and pH at stabilization

Sample collection, handling, and preservation methods

Sample identification

Analytical methods used

Laboratory analytical data sheets

Water level elevation(s)

Groundwater contour map

# E. Soil Sampling (if applicable):

Date(s) of sampling

Sample collection, handling, and preservation method

Sample identification

Analytical methods used

Laboratory analytical data sheets